

PATIENT APPLICATION FORM

Welcome to our Clinic. We specialize in assisting our patients to achieve their highest level of health through our spinal and postural corrective programs. Our approach is very unique and advanced from other Rehabilitative programs. This allows our patients to achieve far superior results compared to most other systems.

Please fill out the following information thoroughly so the doctor can let you know if you are a case we can accept. Please feel free to ask any questions if you need any assistance. We look forward to serving you.

Patient Signature

Date

PATIENT APPLICATION SURVEY

Name: _____ Age: _____ M/F: _____
Address: _____
City: _____ State: _____ Zip: _____
Home Phone: _____ Cell phone: _____
Email: _____
Social Security#: _____ Driver's License#: _____
Birthday: _____ Marital Status: _____ #of children: _____
Names of children: _____ Ages: _____
Do you notice poor postural habits in your children? Yes No
Explain: _____
How were you referred to this office? _____
Employer: _____ Type of work: _____
Work address: _____ Work phone: _____
Spouse's name: _____ Age: _____
Employer: _____ Works phone: _____
Type of work: _____ Cell phone: _____

PURPOSE OF THIS VISIT

Reason for this visit: _____
Is this purpose related to an auto accident/work injury? Yes • No •
Describe: _____
When did this condition begin/when did you first notice it?
Describe: _____
What activities aggravate your symptoms? _____
Is there anything which has relieved your symptoms? Yes • No •
Describe: _____
Have you experienced this condition before? Yes • No •
Who have you seen for this? _____
How did you respond? _____

EXPERIENCE WITH CHIROPRACTIC

Have you seen a Chiropractor before? Yes • No •
Who? _____
Reason for visits: _____
How did you respond? _____
you know your posture determines your health? Yes • No •
Are you aware of any of your poor postural habits? Yes • No •
Explain: _____
Are you aware of any poor postural habits in your spouse or children? Yes • No •
Explain: _____

The most common postural weakness is Forward Head Syndrome (head and neck starting to bend forward and progressively moving downward weakening you whole body). Even less severe forms of this posture can cause adverse affects on you overall health.

Have you ever been told or feel like you carry your head forward? Yes • No •

HEALTH LIFESTYLE

Do you exercise? Yes • No • How often? _____
What activities? _____
Do you smoke? Yes • No • How much? _____
Do you drink alcohol? Yes • No • How much/week? _____
Do you drink coffee? Yes • No • How many cups/day? _____
Do you take any supplement (i.e. vitamins, minerals, herbs)? _____

HEALTH CONDITIONS

Abnormal postural habits or distortions are the result of trauma or stress to the body that have misaligned the vertebrae in your spine. When these vertebrae are twisted from their normal position, they will cause stress to the spinal cord and the delicate nerves that pass between the vertebrae. These misalignments are called **subluxations** (sub-lux-a-shuns). It has been extensively documented that subluxations, causing stress to your nerves, will weaken and distort the overall structures of your spine. This results in a weakened and distorted **POSTURE**. Postural distortions have many serious and adverse affects on your overall health. The most common and detrimental postural distortions is called **Forward Head Syndrome** (a "hunched forward" posture starting in the neck and progressively moving down your spine weakening the entire body). Please check any health conditions you may be experiencing, now or in the past.

CERVICAL SPINE (NECK):

Postural distortions from **subluxations**, (causing **Forward Head Syndrome**), in your neck will weaken the nerves into your arms, hands and head and affect these parts of your body. Do you experience...?

- | | | |
|--|--|--|
| <input type="checkbox"/> Neck Pain | <input type="checkbox"/> Headaches | <input type="checkbox"/> Sinusitis |
| <input type="checkbox"/> Pain into your shoulders/arms/hands | <input type="checkbox"/> Dizziness | <input type="checkbox"/> Allergies/Hay fever |
| <input type="checkbox"/> Numbness/tingling in arms/hands | <input type="checkbox"/> Visual disturbances | <input type="checkbox"/> Recurrent colds/flu |
| <input type="checkbox"/> Hearing disturbances | <input type="checkbox"/> Coldness in hands | <input type="checkbox"/> Low energy/fatigue |
| <input type="checkbox"/> Weakness in grip | <input type="checkbox"/> Thyroid conditions | <input type="checkbox"/> TMJ/Pain/clinking |

THORACIC SPINE (UPPER BACK):

Postural distortions from **subluxations** (resulting from **Forward Head Syndrome**) in the upper back will weaken the nerves to the heart and lungs and affect these parts of your body. Do you experience...?

- | | |
|---|---|
| <input type="checkbox"/> Heart palpitations | <input type="checkbox"/> Recurrent lung infections/bronchitis |
| <input type="checkbox"/> Heart murmurs | <input type="checkbox"/> Asthma/wheezing |
| <input type="checkbox"/> Tachycardia | <input type="checkbox"/> Shortness of breath |
| <input type="checkbox"/> Heart attacks/Angina | <input type="checkbox"/> Pain on deep inspiration/expiration |

THORACIC SPINE (MID BACK):

Postural distortions from **subluxations** (resulting from **Forward Head Syndrome**) in the mid back will weaken the nerves into your ribs/chest and digestive tract, and affect these parts of your body. Do you experience...?

- | | | |
|--|--|---|
| <input type="checkbox"/> Mid back pain | <input type="checkbox"/> Hypoglycemia | <input type="checkbox"/> Reflux |
| <input type="checkbox"/> Pain into your ribs/chest | <input type="checkbox"/> Tired/irritable after eating or when
you haven't eaten for a while | <input type="checkbox"/> Nausea |
| <input type="checkbox"/> Indigestion/heartburn | | <input type="checkbox"/> Ulcers/Gastritis |

THORACIC SPINE (LOW BACK):

Postural distortions from **subluxations** in the low back (resulting from Forward Head Syndrome) will weaken the nerves into your legs/feet and pelvic organs and affect these parts of your body. Do you experience...?

- | | | |
|--|--|--|
| <input type="checkbox"/> Low back pain | <input type="checkbox"/> Muscle cramps in your legs/feet | <input type="checkbox"/> Constipation/Diarrhea |
| <input type="checkbox"/> Pain into your hips/legs/feet | <input type="checkbox"/> Weakness/injuries in your hips/knees/ankles | <input type="checkbox"/> Menstrual irregularities/cramping |
| <input type="checkbox"/> Numbness/tingling in your legs/feet | <input type="checkbox"/> Recurrent bladder infections | <input type="checkbox"/> Sexual dysfunction |
| <input type="checkbox"/> Coldness in your legs/feet | <input type="checkbox"/> Frequent/difficulty urinating | |

Please list any health conditions not mentioned _____

Please list any medications/surgeries _____

Please list any traumas (falls, car accidents ,etc) _____

AUTHORIZATION OF CARE

I authorize and agree to allow the Doctor to work with my spine through the use of spinal adjustments and rehabilitative exercises for the sole purpose of postural and structural restoration of normal biomechanical and neurological function.

I understand that I am responsible for all fees incurred for the services provided, and agree to ensure full payment of all charges.

The Doctor will not be held responsible for any health conditions or diagnoses with are pre-existing, given by another health care practitioner, or are not related to the spinal structural conditions diagnosed at the clinic.

I also clearly understand that if I do not follow the Doctors specific recommendations at this clinic that I will not receive the full benefit from these programs, and that if I terminate my care prematurely that all fees incurred will be due and payable at that time.

I authorize the assignment of all insurance benefits be directed to the Doctor for all services rendered.

--	--	--	--

Patient's signature

Date

Parent/Guardian

Date

IN CASE OF EMERGENCY CALL:

Name _____

Relationship _____

Work Phone _____

Home Phone _____

Cell Phone _____

INSURANCE INFORMATION

I clearly understand that all insurance coverage, whether accident, work related, or general coverage is an arrangement between my insurance carrier and myself. If this office chooses to bill any services to my insurance carrier that they are performing these services strictly as a convenience for me. The Doctor's office will provide any necessary reports or required information to aid in insurance reimbursement of services, but I understand that insurance carriers my claims and that I am ultimately held responsible for any unpaid balances. Any monies received will be credited to my account.

Patient Signature _____ Date _____

Guardian or Spouse's Signature Authorizing Care _____

Name of Insurance Co. _____ Policy # _____

Address _____ Phone # _____

Insured's Name _____ Insured's SS# _____

Relationship to Insured _____ Birth date _____

Employer _____

WHO SHOULD RECEIVE CHARGES ON YOUR ACCOUNT?

- Patient Spouse Parent/Guardian Worker's Comp Auto Insurance
 Medicare Personal Health Insurance

Metabolic Assessment Form

Name: _____ Age: _____ Sex: _____ Date: _____

PART I

Please list the 5 major health concerns in your order of importance:

1. _____
2. _____
3. _____
4. _____
5. _____

PART II

Please circle the appropriate number "0 - 3" on all questions below.
0 as the least/never to 3 as the most/always.

Category I				
Feeling that bowels do not empty completely	0	1	2	3
Lower abdominal pain relief by passing stool or gas	0	1	2	3
Alternating constipation and diarrhea	0	1	2	3
Diarrhea	0	1	2	3
Constipation	0	1	2	3
Hard, dry, or small stool	0	1	2	3
Coated tongue of "fuzzy" debris on tongue	0	1	2	3
Pass large amount of foul smelling gas	0	1	2	3
More than 3 bowel movements daily	0	1	2	3
Use laxatives frequently	0	1	2	3
Category II				
Excessive belching, burping, or bloating	0	1	2	3
Gas immediately following a meal	0	1	2	3
Offensive breath	0	1	2	3
Difficult bowel movements	0	1	2	3
Sense of fullness during and after meals	0	1	2	3
Difficulty digesting fruits and vegetables; undigested foods found in stools	0	1	2	3
Category III				
Stomach pain, burning, or aching 1- 4 hours after eating	0	1	2	3
Use antacids	0	1	2	3
Feel hungry an hour or two after eating	0	1	2	3
Heartburn when lying down or bending forward	0	1	2	3
Temporary relief from antacids, food, milk, carbonated beverages	0	1	2	3
Digestive problems subside with rest and relaxation	0	1	2	3
Heartburn due to spicy foods, chocolate, citrus, peppers, alcohol, and caffeine	0	1	2	3
Category IV				
Roughage and fiber cause constipation	0	1	2	3
Indigestion and fullness lasts 2-4 hours after eating	0	1	2	3
Pain, tenderness, soreness on left side under rib cage	0	1	2	3
Excessive passage of gas	0	1	2	3
Nausea and/or vomiting	0	1	2	3
Stool undigested, foul smelling, mucous-like, greasy, or poorly formed	0	1	2	3
Frequent urination	0	1	2	3
Increased thirst and appetite	0	1	2	3
Difficulty losing weight	0	1	2	3

Category V				
Greasy or high-fat foods cause distress	0	1	2	3
Lower bowel gas and or bloating several hours after eating	0	1	2	3
Bitter metallic taste in mouth, especially in the morning	0	1	2	3
Unexplained itchy skin	0	1	2	3
Yellowish cast to eyes	0	1	2	3
Stool color alternates from clay colored to normal brown	0	1	2	3
Reddened skin, especially palms	0	1	2	3
Dry or flaky skin and/or hair	0	1	2	3
History of gallbladder attacks or stones	0	1	2	3
Have you had your gallbladder removed	Yes		No	
Category VI				
Crave sweets during the day	0	1	2	3
Irritable if meals are missed	0	1	2	3
Depend on coffee to keep yourself going or started	0	1	2	3
Get lightheaded if meals are missed	0	1	2	3
Eating relieves fatigue	0	1	2	3
Feel shaky, jittery, or have tremors	0	1	2	3
Agitated, easily upset, nervous	0	1	2	3
Poor memory/forgetful	0	1	2	3
Blurred vision	0	1	2	3
Category VII				
Fatigue after meals	0	1	2	3
Crave sweets during the day	0	1	2	3
Eating sweets does not relieve cravings for sugar	0	1	2	3
Must have sweets after meals	0	1	2	3
Waist girth is equal or larger than hip girth	0	1	2	3
Frequent urination	0	1	2	3
Increased thirst and appetite	0	1	2	3
Difficulty losing weight	0	1	2	3
Category VIII				
Cannot stay asleep	0	1	2	3
Crave salt	0	1	2	3
Slow starter in the morning	0	1	2	3
Afternoon fatigue	0	1	2	3
Dizziness when standing up quickly	0	1	2	3
Afternoon headaches	0	1	2	3
Headaches with exertion or stress	0	1	2	3
Weak nails	0	1	2	3

*Symptom groups listed in this flyer are not intended to be used as a diagnosis of any disease condition.
For nutritional purposes only.*

Category IX				
Cannot fall asleep	0	1	2	3
Perspire easily	0	1	2	3
Under high amounts of stress	0	1	2	3
Weight gain when under stress	0	1	2	3
Wake up tired even after 6 or more hours of sleep	0	1	2	3
Excessive perspiration or perspiration with little or no activity	0	1	2	3
Category X				
Tired, sluggish	0	1	2	3
Feel cold – hands, feet, all over	0	1	2	3
Require excessive amounts of sleep to function properly	0	1	2	3
Increase in weight gain even with low-calorie diet	0	1	2	3
Gain weight easily	0	1	2	3
Difficult, infrequent bowel movements	0	1	2	3
Depression, lack of motivation	0	1	2	3
Morning headaches that wear off as the day progresses	0	1	2	3
Outer third of eyebrow thins	0	1	2	3
Thinning of hair on scalp, face, or genitals or excessive falling hair	0	1	2	3
Dryness of skin and/or scalp	0	1	2	3
Mental sluggishness	0	1	2	3
Category XI				
Heart palpitations	0	1	2	3
Inward trembling	0	1	2	3
Increased pulse even at rest	0	1	2	3
Nervous and emotional	0	1	2	3
Insomnia	0	1	2	3
Night sweats	0	1	2	3
Difficulty gaining weight	0	1	2	3
Category XII				
Diminished sex drive	0	1	2	3
Menstrual disorders or lack of menstruation	0	1	2	3
Increased ability to eat sugars without symptoms	0	1	2	3
Category XIII				
Increased sex drive	0	1	2	3
Tolerance to sugars reduced	0	1	2	3
“Splitting” type headaches	0	1	2	3

Category XIV (Males Only)				
Urination difficulty or dribbling	0	1	2	3
Frequent urination	0	1	2	3
Pain inside of legs or heels	0	1	2	3
Feeling of incomplete bowel evacuation	0	1	2	3
Leg nervousness at night	0	1	2	3
Category XV (Males Only)				
Decrease in libido	0	1	2	3
Decrease in spontaneous morning erections	0	1	2	3
Decrease in fullness of erections	0	1	2	3
Difficulty in maintaining morning erections	0	1	2	3
Spells of mental fatigue	0	1	2	3
Inability to concentrate	0	1	2	3
Episodes of depression	0	1	2	3
Muscle soreness	0	1	2	3
Decrease in physical stamina	0	1	2	3
Unexplained weight gain	0	1	2	3
Increase in fat distribution around chest and hips	0	1	2	3
Sweating attacks	0	1	2	3
More emotional than in the past	0	1	2	3
Category XVI (Menstruating Females Only)				
Are you perimenopausal	Yes	No		
Alternating menstrual cycle lengths	Yes	No		
Extended menstrual cycle, greater than 32 days	Yes	No		
Shortened menses, less than every 24 days	Yes	No		
Pain and cramping during periods	0	1	2	3
Scanty blood flow	0	1	2	3
Heavy blood flow	0	1	2	3
Breast pain and swelling during menses	0	1	2	3
Pelvic pain during menses	0	1	2	3
Irritable and depressed during menses	0	1	2	3
Acne breakouts	0	1	2	3
Facial hair growth	0	1	2	3
Hair loss/thinning	0	1	2	3
Category XVII (Menopausal Females Only)				
How many years have you been menopausal?				
Since menopause, do you ever have uterine bleeding?	Yes	No		
Hot flashes	0	1	2	3
Mental fogginess	0	1	2	3
Disinterest in sex	0	1	2	3
Mood swings	0	1	2	3
Depression	0	1	2	3
Painful intercourse	0	1	2	3
Shrinking breasts	0	1	2	3
Facial hair growth	0	1	2	3
Acne	0	1	2	3
Increased vaginal pain, dryness or itching	0	1	2	3

PART III

How many alcoholic beverages do you consume per week? _____ How many caffeinated beverages do you consume per day? _____

How many times do you eat out per week? _____ How many times a week do you eat raw nuts or seeds? _____

How many times a week do you eat fish? _____ How many times a week do you workout? _____

List the three worst foods you eat during the average week: _____, _____, _____

List the three healthiest foods you eat during the average week: _____, _____, _____

Do you smoke? _____ If yes, how many times a day: _____

Rate your stress levels on a scale of 1-10 during the average week: _____

Please list any medications you currently take and for what conditions:

Please list any natural supplements you currently take and for what conditions:

Health Questionnaire (NTAF)

Name: _____ Age: _____ Sex: _____ Date: _____

* Please circle the appropriate number "0 - 3" on all questions below. 0 as the least/never to 3 as the most/always.

SECTION A

- Is your memory noticeably declining? 0 1 2 3
- Are you having a hard time remembering names and phone numbers? 0 1 2 3
- Is your ability to focus noticeably declining? 0 1 2 3
- Has it become harder for you to learn things? 0 1 2 3
- How often do you have a hard time remembering your appointments? 0 1 2 3
- Is your temperament getting worse in general? 0 1 2 3
- Are you losing your attention span endurance? 0 1 2 3
- How often do you find yourself down or sad? 0 1 2 3
- How often do you fatigue when driving compared to the past? 0 1 2 3
- How often do you fatigue when reading compared to the past? 0 1 2 3
- How often do you walk into rooms and forget why? 0 1 2 3
- How often do you pick up your cell phone and forget why? 0 1 2 3

SECTION B

- How high is your stress level? 0 1 2 3
- How often do you feel that you have something that must be done? 0 1 2 3
- Do you feel you never have time for yourself? 0 1 2 3
- How often do you feel you are not getting enough sleep or rest? 0 1 2 3
- Do you find it difficult to get regular exercise? 0 1 2 3
- Do you feel uncared for by the people in your life? 0 1 2 3
- Do you feel you are not accomplishing your life's purpose? 0 1 2 3
- Is sharing your problems with someone difficult for you? 0 1 2 3

SECTION C

SECTION C1

- How often do you get irritable, shaky, or have lightheadedness between meals? 0 1 2 3
- How often do you feel energized after eating? 0 1 2 3
- How often do you have difficulty eating large meals in the morning? 0 1 2 3
- How often does your energy level drop in the afternoon? 0 1 2 3
- How often do you crave sugar and sweets in the afternoon? 0 1 2 3
- How often do you wake up in the middle of the night? 0 1 2 3
- How often do you have difficulty concentrating before eating? 0 1 2 3
- How often do you depend on coffee to keep yourself going? 0 1 2 3
- How often do you feel agitated, easily upset, and nervous between meals? 0 1 2 3

SECTION C2

- Do you get fatigued after meals? 0 1 2 3
- Do you crave sugar and sweets after meals? 0 1 2 3
- Do you feel you need stimulants such as coffee after meals? 0 1 2 3
- Do you have difficulty losing weight? 0 1 2 3
- How much larger is your waist girth compared to your hip girth? 0 1 2 3
- How often do you urinate? 0 1 2 3
- Have your thirst and appetite been increased? 0 1 2 3
- Do you have weight gain when under stress? 0 1 2 3
- Do you have difficulty falling asleep? 0 1 2 3

SECTION 1 - S

- Are you losing your pleasure in hobbies and interests? 0 1 2 3
- How often do you feel overwhelmed with ideas to manage? 0 1 2 3
- How often do you have feelings of inner rage (anger)? 0 1 2 3
- How often do you have feelings of paranoia? 0 1 2 3
- How often do you feel sad or down for no reason? 0 1 2 3
- How often do you feel like you are not enjoying life? 0 1 2 3

- How often do you feel you lack artistic appreciation? 0 1 2 3
- How often do you feel depressed in overcast weather? 0 1 2 3
- How much are you losing your enthusiasm for your favorite activities? 0 1 2 3
- How much are you losing enjoyment for your favorite foods? 0 1 2 3
- How much are you losing your enjoyment of friendships and relationships? 0 1 2 3
- How often do you have difficulty falling into deep restful sleep? 0 1 2 3
- How often do you have feelings of dependency on others? 0 1 2 3
- How often do you feel more susceptible to pain? 0 1 2 3
- How often do you have feelings of unprovoked anger? 0 1 2 3
- How much are you losing interest in life? 0 1 2 3

SECTION 2 - D

- How often do you have feelings of hopelessness? 0 1 2 3
- How often do you have self-destructive thoughts? 0 1 2 3
- How often do you have an inability to handle stress? 0 1 2 3
- How often do you have anger and aggression while under stress? 0 1 2 3
- How often do you feel you are not rested even after long hours of sleep? 0 1 2 3
- How often do you prefer to isolate yourself from others? 0 1 2 3
- How often do you have unexplained lack of concern for family and friends? 0 1 2 3
- How easily are you distracted from your tasks? 0 1 2 3
- How often do you have an inability to finish tasks? 0 1 2 3
- How often do you feel the need to consume caffeine to stay alert? 0 1 2 3
- How often do you feel your libido has been decreased? 0 1 2 3
- How often do you lose your temper for minor reasons? 0 1 2 3
- How often do you have feelings of worthlessness? 0 1 2 3

SECTION 3 - G

- How often do you feel anxious or panic for no reason? 0 1 2 3
- How often do you have feelings of dread or impending doom? 0 1 2 3
- How often do you feel knots in your stomach? 0 1 2 3
- How often do you have feelings of being overwhelmed for no reason? 0 1 2 3
- How often do you have feelings of guilt about everyday decisions? 0 1 2 3
- How often does your mind feel restless? 0 1 2 3
- How difficult is it to turn your mind off when you want to relax? 0 1 2 3
- How often do you have disorganized attention? 0 1 2 3
- How often do you worry about things you were not worried about before? 0 1 2 3
- How often do you have feelings of inner tension and inner excitability? 0 1 2 3

SECTION 4 - ACH

- Do you feel your visual memory (shapes & images) is decreased? 0 1 2 3
- Do you feel your verbal memory is decreased? 0 1 2 3
- Do you have memory lapses? 0 1 2 3
- Has your creativity been decreased? 0 1 2 3
- Has your comprehension been diminished? 0 1 2 3
- Do you have difficulty calculating numbers? 0 1 2 3
- Do you have difficulty recognizing objects & faces? 0 1 2 3
- Do you feel like your opinion about yourself has changed? 0 1 2 3
- Are you experiencing excessive urination? 0 1 2 3
- Are you experiencing slower mental response? 0 1 2 3

Symptom groups listed in this flyer are not intended to be used as a diagnosis of any disease condition. For nutritional purposes only.

Medication History

Please circle any of the following medication you have been or are currently taking.

Acetylcholine Receptor Antagonist – Antimuscarinic Agents

Atropine, Ipratropium, Scopolamine, Tiotropium

Acetylcholine Receptor Antagonist - Ganglionic Blockers

Mecamylamine, Hexamethonium, Nicotine (high doses), Trimethaphan

Acetylcholinesterase Reactivators

Pralidoxime

Acetylcholine Receptor Antagonist - Neuromuscular Blockers

Atracurium, Cisatracurium, Doxacurium, Metocurine, Mivacurium, Pancuronium, Rocuronium, Uccinylcholine, Tubocurarine, Vecuronium, Hemicholine

Agonist Modulator of GABA Receptor (benzodiazepines)

Xanax, Lexotanil, Lexotan, Librium, Klonopin, Valium, ProSom, Rohypnol, Dalmane, Ativan, Loramet, Sedoxil, Dormicum, Megadon, Serax, Restoril, Halcion

Agonist Modulator of GABA Receptors (nonbenzodiazepines)

Ambien, Sonata, Lunesta, Imovane

Cholinesterase Inhibitors (irreversible)

Echotiophate, Isoflurophate, Organophosphate Insecticides, Organophosphate-containing nerve agents

Cholinesterase Inhibitors (reversible)

Donepezil, Galatamine, Rivastigmine, Tacrine, THC, Erophonium, Neostigmine, Phystigimine, Pyridostigmine, Carbamate Insecticides

Dopamine Reuptake Inhibitors

Wellbutrin (Bupropion)

Dopamine Receptor Agonists

Mirapex, Sifrol, Requip

D2 Dopamine Receptor Blockers (antipsychotics)

Thorazine, Prolixin, Trilafon, Compazine, Mellaril, Stelazine, Vesprin, Nozinan, Depixol, Navane, Iuanxol, Clopixol, Acuphase, Haldol, Orap, Clozaril, Zyprexa, Zydys, Seroquel, Geodon, Solian, Invega, Abilify

GABA Antagonist Competitive binder

Flumazenil

Monoamine Oxidase Inhibitor (MAOI)

Marplan, Aurorix, Maneric, Moclodura, Nardil, Adlegiine, Elepryl, Azilect, Marsilid, Iprozid, Ipronid, Rivivol, Popilniazida, Zyvox, Zyvoxid

Noradrenergic and Specific Serotonergic Antidepressants (NaSSa)

Remeron, Zispin, Avanza, Norset, Remergil, Axit

Selective Serotonin Reuptake Inhibitor

Paxil, Zoloft, Prozac, Celexa, Lexapro, Luvox, Cipramil, Emocal, Serpam, Seropram, Cipralext, Esteria, Fontex, Seromex, Seronil, Sarafem, Fluctin, Faverin, Seroxat, Aropax, Deroxat, Rextin, Xentor, Paroxat, Lustral, Serlain, Dapoxetine

Selective Serotonin Reuptake Enhancers

Stablon, Coaxil, Tatinol

Serotonin-Norepinephrine Reuptake Inhibitors (SNRIs)

Effexor, Pristiq, Meridia, Serzone, Dalcipran, Despramine, Duloxetine

Tricyclic Antidepressants (TCAs)

Elavil, Endep, Tryptanol, Trepiline, Asendin, Asendis, Defanyl, Demolox, Moxadil, Anafranil, Norpramin, Pertofrane, Prothiadin, Thanden, Adapin, Sinequan, Trofranil, Janamine, Gamamil, Aventyl, Pamelor, Opipramol, Vivactil, Rhotrimine, Surmontil